RECEIVED CENTRAL FAX CENTER

MAR 0 1 2010

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Claims 1-115 (Cancelled).

- 116. (Withdrawn) An isolated protein comprising the sequence of amino acids set forth in Fig. 1A (SEQ ID NO: 1), Fig. 6C (SEQ ID NO: 5), Fig. 6D (SEQ ID NO: 6), Fig. 20C (SEQ ID NO: 28), Fig. 20D (SEQ ID NO: 29), Fig. 26A (SEQ ID NO: 30), Fig. 28B (SEQ ID NO: 33), Fig. 29B (SEQ ID NO: 36), Fig. 30B (SEQ ID NO: 39), Fig. 31B (SEQ ID NO: 42), Fig. 32B (SEQ ID NO: 45), Fig. 33B (SEQ ID NO: 48), Fig. 34B (SEQ ID NO: 51), Fig. 35B (SEQ ID NO: 54), Fig. 36B (SEQ ID NO: 57), Fig. 37B (SEQ ID NO: 60), or Fig. 38B (SEQ ID NO: 63).
- 117. (Withdrawn) A nucleic acid comprising a nucleotide sequence that encodes the protein according to claim 116.
- 118. (Withdrawn) The nucleic acid according to claim 117 wherein the protein comprises the sequence of amino acids set forth in Fig. 26A (SEQ ID NO: 30), Fig. 28B (SEQ ID NO: 33), Fig. 29B (SEQ ID NO: 36), Fig. 30B (SEQ ID NO: 39), Fig. 31B (SEQ ID NO: 42), Fig. 32B (SEQ ID NO: 45), Fig. 33B (SEQ ID NO: 48), Fig. 34B (SEQ ID NO: 51), Fig. 35B (SEQ ID NO: 54), Fig. 36B (SEQ ID NO: 57), Fig. 37B (SEQ ID NO: 60), or Fig. 38B (SEQ ID NO: 63).
 - 119. (Cancelled).
 - 120. (Withdrawn) A nucleic acid comprising a nucleotide sequence encoding:

CON6 HIV gp160 protein,

subtype C ancestral HIV envelope protein,

subtype C consensus HIV envelope protein,

subtype C consensus HIV gag protein,
subtype C consensus HIV nef protein,
Group M consensus HIV envelope protein,
subtype A consensus HIV envelope protein,
Group M consensus HIV gag protein,
Group M consensus HIV pol protein,
Group M consensus HIV nef protein,
subtype C consensus HIV pol protein,
subtype C consensus HIV pol protein,
subtype B consensus HIV gag protein, or

wherein said nucleotide sequence comprises codons optimized for expression in human cells.

- 121. (Withdrawn) The nucleic acid according to claim 120 wherein said nucleic acid comprises the nucleotide sequence set forth in Fig. 1D (SEQ ID NO: 2), Fig. 6A (SEQ ID NO: 3), Fig. 6B (SEQ ID NO: 4), Fig. 13E (SEQ ID NO: 11), Fig. 13F (SEQ ID NO: 12), Fig. 14B (SEQ ID NO: 14), Fig. 18B (SEQ ID NO: 16), Fig. 19A (SEQ ID NO: 17), Fig. 19B (SEQ ID NO: 18), Fig. 19C (SEQ ID NO: 19), Fig. 19D (SEQ ID NO: 20), Fig. 20A (SEQ ID NO: 25), or Fig. 20B (SEQ ID NO: 26).
- 122. (Withdrawn) An isolated protein comprising a CF or CFI form of the amino acid sequence set forth in any one of Figs. 39A-127A (SEQ ID NO: 65,66,68,69,73,74,77,78,81,82,85,86,89,90,93,94,97,98,101,102,105,106,109,110,113,115,117,1 19,121,123,125,127,129,131,133,135,137,139,141,143,145,147,150,152,154,156,158,160,162,16 4,166,168,170,172,174,176,178,180,182,184,186,188,190,192,194,196,198,200,202,204,206,208

,210,212,214,216,217,220,222,223,226,228,230,232,233,236,237,240,241,244,245,248,249,252, 253,256,257,260).

- 123. (Withdrawn) A nucleic acid comprising the nucleotide sequence set forth in any one of Figs. 39B-62B (SEQ ID NO:
- 72,67,70,71,75,76,79,80,83,84,87,88,91,92,95,96,99,100,103,104,107,108,111,112), Figs. 63B-84B (SEQ ID NO:
- 114,116,118,120,122,124,126,128,130,132,134,136,138,140,142,144,146,148,151,153,155,157,1 59,161,163), Fig. 65D (SEQ ID NO: 120), Fig. 67D (SEQ ID NO: 126), Fig. 68D (SEQ ID NO: 130), Figs. 85B-106B (SEQ ID NO:
- 165,167,169,171,173,175,177,179,181,183,185,187,189,191,193,195,197,199,201,203,205,207,2 09,211,213), Fig. 88D (SEQ ID NO: 173), Fig. 90D (SEQ ID NO: 179), Fig. 92D (SEQ ID NO: 185), Figs. 107B-127B (SEQ ID NO:
- 215,218,219,221,224,225,227,229,231,234,235,238,239,242,243,246,247,250,251,254,255,258,2 59,261), Fig. 109D (SEQ ID NO: 221), Fig. 111D (SEQ ID NO: 227) and Fig. 112D (SEQ ID NO: 231).
- 124. (Withdrawn) A vector comprising the nucleic acid according to any one of claims 117, 120 and 123.
- 125. (Withdrawn) A composition comprising at least one protein or nucleic acid according to any one of claims 116, 117, 120, 122 and 123 and a carrier.
- 126. (Withdrawn) A method of inducing an immune response in a mammal comprising administering to said mammal an amount of at least one protein and/or nucleic acid according to any one of claims 116, 117, 120, 122 and 123 sufficient to effect said induction.
- 127. (Previously Presented) A nucleic acid comprising a codon-optimized nucleotide sequence that encodes the protein encoded by the nucleic acid sequence of Fig. 29C (SEQ ID NO:37).

- 128. (Previously Presented) A vector comprising the nucleic acid according to claim
 127.
- 129. (Previously Presented) A composition comprising the nucleic acid according to claim 127 and a carrier.
- 130. (Previously Presented) A method of inducing an immune response in a mammal comprising administering to said mammal an amount of the nucleic acid according to claim 127 sufficient to effect said induction.
- 131. (Previously Presented) A nucleic acid comprising the nucleotide sequence set forth in Fig. 29C (SEQ ID NO:37).
- 132. (Previously Presented) A vector comprising the nucleic acid according to claim 131.
- 133. (Previously Presented) A composition comprising the nucleic acid according to claim 131 and a carrier.
- 134. (Previously Presented) A method of inducing an immune response in a mammal comprising administering to said mammal an amount of the nucleic acid according to claim 131 sufficient to effect said induction.